

## AMENDMENT TO THE CLAIMS

Please **AMEND** claims 4-8, 10, 14-19 and 21.

A copy of all pending claims and a status of each claim are provided below.

### Listing of Claims

1. (Original) A method of coordinating and controlling television sets or cameras in a digital information system for exposing information on at least one display device through the medium of at least one television set or camera, characterized in that it comprises the following steps:

generating an exposure list comprising control instructions for coordinating and controlling television sets or cameras with regard to what shall be exposed, when it shall be exposed, where it shall be exposed and for how long it shall be exposed;

using a control center for coordinating and controlling television sets or cameras, wherein the control center is able to create and update said exposure list in real time with control instruction fields via dynamic booking of information in time for exposure from mediators; and

wherein the exposure list enables each television set or camera to be controlled, independently of other television sets or cameras, to receive the same or different information in accordance with the exposure list for exposure of respective television set or camera through the computerized devices.

2. (Original) A method according to claim 1, characterized in that information mediators are connected to a computerized control center via interfaces for data and telecommunication for round-the-clock transmission of information, wherein the control center has communication interfaces against computerized devices, situated at specific places remote from the control center having drive routine means, which may be transparent for transmission of information with the drive routine means of the control center for transmission of information in the system via interfaces.
3. (Original) A method according to claim 2, characterized in that a system administrator is able to update the exposure list with elective information at any time whatsoever, wherein the dynamic booking can be changed or delayed.
4. (Currently amended) A method according to ~~claims 1-3~~ claim 3, characterized in that a server situated at a specific place and being included in a computerized device comprises databases; and in that information in the databases relating to exposures in the exposure list is copied in databases of servers in a selected number of computerized devices situated at some other place.
5. (Currently amended) A method according to ~~claims 1-4~~ claim 4, characterized in that the exposure list includes reserved instruction fields for updating control instructions via mediator interfaces.
6. (Currently amended) A method according to ~~claims 1-5~~ claim 5, characterized in that the control instructions are placed in a queue, or line, when the exposure list

temporarily lacks instruction updating fields.

7. (Currently amended) A method according to ~~claims 1-6~~ claim 6, characterized in that a switch senses when one of said servers is out of function, wherein the television set ~~set~~ sets or cameras controlled by said server are controlled by another server situated at some other place.
8. (Currently amended) A method according to ~~any preceding claim~~ claim 1, characterized in that every television set or camera is assigned an unique address.
9. (Original) A method according to claim 8, characterized in that the addresses are of the type TCP/IP.
10. (Currently amended) A method according to ~~any one of claims 8 or 9~~ claim 8, characterized in that the addresses to television set ~~set~~ sets or cameras, respectively, are stored on a smart card which can be read by computerized means via in these comprised smart card readers.
11. (Original) An arrangement for coordinating and controlling television sets or cameras in a digital information system for displaying information on at least one display device through the medium of at least one television set or camera, said information being supplied by mediators of information, for exposure or display, characterized in that it comprises:

computerized control center means, wherein the control center has

communication interfaces against;

computerized means for coordinating and controlling television sets or cameras;

exposure handler means whereby the control center functions, in real time and through the medium of said exposure handler, to create and update an exposure list having control instruction fields, via dynamic booking of display information from mediators; and

wherein said exposure list, containing control instructions, coordinates and controls the television sets or cameras in question with respect to what shall be exposed, where it shall be exposed, when it shall be exposed, and for how long it shall be exposed, and enables each television set or camera, independently of other television sets or cameras, to receive the same or different information according to the exposure list for exposure, or display, by respective television set or camera through the computerized devices.

12. (Original) An arrangement according to claim 11, characterized in that said mediators are connected to the control center means via interfaces for data and telecommunication for transmitting said information at any elected time whatsoever.
13. (Original) An arrangement according to claim 12, characterized in that said mediators posses drive routine means, said drive routine means possibly being transparent for transmission of information with the drive routine means of the control center for transmission of information in the system via interfaces for that purpose.

14. (Currently amended) An arrangement according to ~~claim 11-13~~ claim 13, characterized in that the system administrator is able to update the exposure list with elective information at any time whatsoever, wherein the dynamic booking can be changed or delayed.
15. (Currently amended) An arrangement according to ~~claims 11-14~~ claim 14, characterized in that a server situated at a specific place and included in a computerized device includes databases; and in that information in the databases relating to exposures in the exposure list is copied into databases of servers in an elected number of computerized devices situated at some other place.
16. (Currently amended) An arrangement according to ~~claims 12-15~~ claim 15, characterized in that the exposure list includes reserved instruction fields for updating with control instructions via the mediator interfaces.
17. (Currently amended) An arrangement according to ~~claims 11-14~~ claim 14, characterized in that the control instructions are placed in a queue, or line, when the exposure list momentarily lacks instruction fields for updating instructions.
18. (Currently amended) An arrangement according to ~~claims 11-17~~ claim 17, characterized by a switch which detects when a camera computer is non-functional, in which case those television sets or cameras that are controlled by the non-functional cinema computer are controlled by a cinema computer situated at some

other place.

19. (Currently amended) An arrangement according to ~~claims 11-18~~ claim 18, characterized in that every television set or camera is assigned an unique address.
20. (Original) An arrangement according to claim 19, characterized in that the addresses are of the type TCP/IP.
21. (Currently amended) An arrangement according to ~~claims 19 or 20~~ claim 19, characterized in that the addresses to television sets or cameras, respectively, are stored on a smart card which can be read by computerized means via in these comprised smart card readers.